# TOSHIBA

# E-STUDIO5518A E-STUDIO7518A E-STUDIO8518A

# Product brochure

Toshiba's high-volume A3 multifunction systems deliver impeccable monochrome document output at a speed of up to 85 pages per minute.

- The Dual Scan Document Feeder with a paper capacity of up to 300 sheets is standard on all models and can process documents at an impressive speed of up to 240 images per minute.
- Equipped with all features and functions needed for modern document workflows, including cloud and mobile printing.





# CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

## Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information – efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

#### Faster, sleeker, and more volume than ever.

Toshiba's high-end A3 monochrome line-up looks great – inside and out. Along with an ultra-modern look, you'll also find innovative technology and crisp, clean monochrome output delivered at up to 85 pages per minute with an impressive 6,020-sheet maximum capacity.

- > Print speeds of 55/75/85 pages per minute.
- Advanced Toshiba e-BRIDGE Next controller technology for easy integration into IT environments and customisation of workfows.
- Impeccable high-quality document output with a resolution of up to 1,200 dpi x 1,200 dpi.
- High-speed, high-capacity Dual Scan Document Feeder for amazing document processing.

# SIMPLE. SMART. AND STYLISH.

An intuitive 26 cm (10.1") tablet-style touch screen with an embedded web browser is easy to use and fully customisable to tailor settings and automise workflows – including the integration of third party solutions resulting in simple operation and improved efficiency. It is also part of the introduction of a bold new look of the new e-STUDIO series.



# HOW TOSHIBA IS RAISING THE STANDARD

Today's world requires successful businesses to have access to data and information even when on the move. The e-STUDIO8518A series easily integrates into cloud and mobile workflows. Thanks to advanced e-BRIDGE Next controller technology you can even seamlessly integrate third-party solutions.

Our choice of embedded apps acknowledge the individual requirements of each business and gives you the flexibility to connect to the cloud-based applications of your choice.

Streamline your everyday tasks with ease though Toshiba's innovations in embedded app technologies and connect directly with popular cloud and on-premise platforms right at the panel.

### Seamlessly connect with your business platforms

> Find better ways of managing your compliance obligations

- > Introduce business efficiencies through simple workflows and automation
- > Handle hard copy documents with ease
- > Eliminate information security concerns with on-board direct-to-platform processing (no intermediate software or cloud services)

For more information go to https://www.toshiba-business.com.au/Apps



### **Environmental Protection**

Protecting the environment is embedded in our corporate philosophy and we ensure that our products comply to the highest environmental standards. Top of the class TEC values are just some examples of how we can help you save valuable resources.

The e-STUDIO8518A series complies with the following international environmental standards, with certifications in various overseas markets for Energy Star, EPEAT and Blue Angel.

For more information go to www.toshiba-business.com.au/ company/standards

### Security For Your Business

Toshiba is a leading provider of information technology and protecting data has always had utmost priority for us. So, of course, the e-STUDIO8518A series comes with state-of-the-art security features, such as the self-encrypting Toshiba Secure HDD. By making full use of all the methods offered to protect personal data, you can ensure that any information processed on the MFP is safe.



## FEATURES. BENEFITS. AND MORE.

Improve your workgroup connection with the Toshiba e-STUDIO8518A series. Integrate and simplify your workflows while improving efficiency with superb image quality at unprecedented volumes.

Reliable High Speeds include 55/75/85 monochrome pages per minute.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Toner Change On-The-Fly allows you to replace toner cartridges, even while the MFP is printing.

Paper Change On-The-Fly allows you to top up the tandem LCF paper supply without interrupting your copy or print job.

**Embedded Optical Character Recognition** (OCR) simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

**Mobile Printing** gives you full flexibility and lets you easily connect to mobile devices via AirPrint, Google Cloud Print or Mopria Print Service.

Wi-Fi Direct offers the possibility of on-demand connection. Add to this the Toshiba e-BRIDGE Print & Capture app and you get even more flexibility as it not only lets you print from but also scan to your mobile device.

Scan to USB is great for working with your documents when on the go. With the possibility to create PDF/A-2 files your documents are ready for long-term archiving.

Scan and Fax Preview allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

Custom Size Scan automatically identifies odd size originals such as consignment notes and outputs your soft copy at the correct size and without skew.

Barcode Printing gives you the possibility to send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed without the need of additional middleware.

0

# CONFIGURATION



# **HIGHLIGHTS**

### **Multi Station Print**

Toshiba's serverless pull-printing solution allows you to spontaneously decide from which device you want to collect your documents. Simply go to any of the up to 50 connected systems, authenticate and print where it suits you best – without investing in and maintaining a dedicated server.

## **Dual Scan Document Feeder**

With an impressive capacity of 300 sheets of double sided documents and a maximum scan speed of up to 240 images per minute the standard DSDF will boost your productivity.

## **Embedded Apps**

The optional e-BRIDGE Plus apps let you send your documents directly to or print from these cloud services via the MFP.

# **SPECIFICATIONS**

### General

| Print & Copy Speed             | 55/75/85 ppm (A4)<br>27/37/40 ppm (A3)   |
|--------------------------------|--|
| Warm-up Time                   | Approx. 15 seconds from low power mode   |
| Paper Size & Weight            | Cassettes: A5R-320 x 460 mm, 60-256 g/m <sup>2</sup><br>Tandem LCF: A4, 60-256 g/m <sup>2</sup><br>Bypass: 100 x 148 mm-330 x 483 mm, 60-300 g/m <sup>2</sup> ,<br>banner paper (up to 313.4 x 1,200 mm, 90-163 g/m <sup>2</sup> ) |
| Paper Capacity                 | 2x 540 sheets (Cassettes) + 1x 2,320 sheets<br>(Tandem LCF), 1x 120 sheets (Bypass), 1x 2500 sheet<br>A4 LCF (optional). Maximum 6,020 sheets  |
| Automatic Duplex               | A5R, A4, A4R, A3, A3+ (305 x 457 mm),<br>SRA3 (320 x 450 mm), 320 x 460 mm and other formats,<br>60-256 g/m <sup>2</sup>   |
| Controller Type                | Toshiba e-BRIDGE Next  |
| Control Panel                  | 26 cm (10.1") Multi-Touch Colour Panel   |
| Memory                         | Toshiba Secure HDD 320 GB <sup>1)</sup> , 4 GB RAM   |
| Interface                      | 10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN <sup>2)</sup> (IEEE802.11b/g/n), Bluetooth <sup>2)</sup> , Wi-Fi Direct <sup>2)</sup>   |
| <b>Dimensions &amp; Weight</b> | 955 x 698 x 1,227 mm (W x D x H), 195 kg   |

### Сору

| Resolution             | Scan: 600 x 600 dpi<br>Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing |  |
|------------------------|---|--|
| First Copy Output Time | Approx. 5.2/5.2/4.5/4.1 seconds   |  |
| Zoom                   | 25-400% (Platen), 25-200% (DSDF)  |  |
| Copy Modes             | Text, Text/Photo, Photo, Custom   |  |
| Copy Functions         | Electronic Sort, Rotate Sort, Edge Erase,<br>2-in-1 / 4-in-1 mode           |  |

### Fax<sup>2)</sup>

| Communication        | Super G3, G3 - (opt. 2 <sup>nd</sup> line), Internet Fax T.37   |
|----------------------|---|
| Transmission Speed   | Approx. 3 seconds per page  |
| Compression          | JBIG, MMR, MR, MH   |
| Fax Memory           | 1 GB (HDD) Transmission/Reception   |
| Network-Fax          | Driver for Windows 10/8.1/7/Server 2008 (32/64 bit),<br>Windows Server 2016, Windows Server 2012 R2/<br>Server 2012/Server 2008 R2 (64 bit) |
| Incoming Fax Routing | To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing, On-screen preview  |

## Print

## System & Security

| Resolution                   | 600 x 600 dpi, 1 bit,<br>2,400 x 600 dpi with smoothing,<br>1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with   | Device Management  | e-BRIDGE Fleet Management System <sup>2</sup> , Top Access<br>for remote administration and configuration   |
|------------------------------|--|--|---|
|                              | PostScript driver only   | System Features  | e-Filing document server for secure storage,  |
| Page Description<br>Language | PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and<br>PostScript 3 compatible   |  | Document distribution and Print-on-Demand<br>(1 public box, 200 user boxes), 12,060 one-touch<br>templates for storage of personalised settings or                            |
| Supported Systems            | Windows 10/8.1/7/Server 2008 (32/64 bit), Windows<br>Server 2016/Server 2012 R2/Server 2012/Server 2008<br>R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix,<br>Novell SLES, SAP, AS/400 |  | workflows, Scan/Fax Preview, Rip-while-Print,<br>e-BRIDGE Open Platform, Embedded Web Browser,<br>Job Skip, PCL Barcode printing, e-BRIDGE Plus<br>embedded apps              |
| Network Protocols            | TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk,<br>NetBios over TCP/IP   | Accounting & Security  | Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader <sup>2)</sup> ,  |
| Mobile Printing              | e-BRIDGE Print & Capture, AirPrint,<br>Mopria Print Service, Google Cloud Print, Email Print   | ail Print Private print, Standard data encryption with<br>Toshiba Secure HDD, Data Overwrite Enabler <sup>2</sup> ,<br>IP and MAC address filter, Port filter, Support c |   |
| Print Functions              | Universal Printer Driver, Driver Templates,<br>Driver plug-ins <sup>21</sup> , Print from USB, Hold print,<br>Tandem printing, E-mail direct printing  |  | SSL and IPsec <sup>2)</sup> protocols, IEEE802.1x support,<br>CC certified (ISO/IEC15408) with HCD-PP v1.0 <sup>2)</sup> ,<br>Scan to Secure PDF, Pull-printing <sup>2)</sup> |

#### Scan

| Resolution     | Maximum 600 x 600 dpi  |
|----------------|--|
| Scan Speed     | Up to 240 ipm (300 dpi) in colour and monochrome via Dual Scan Document Feeder   |
| Scan Modes     | Auto-Colour (ACS), Colour, Greyscale, Monochrome   |
| File Formats   | JPEG, Multi/Single Page TIFF/XPS/PDF,<br>SecurePDF, Slim PDF, PDF/A-2b, PDF/A-2, Searcha-<br>ble PDF <sup>2</sup> (and other formats like DOCX, XLSX) <sup>2</sup> )           |
| Scan Functions | WS Scan, Scan to USB, Scan to E-Mail, Scan to File<br>(SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan <sup>2</sup> ,<br>OCR Scan <sup>2</sup> , Scan to Box (e-Filing), WIA, TWAIN |

# **OPTIONS**

| EXTERNAL LARGE<br>CAPACITY FEEDER | 2,500-sheets capacity, A4, 60-256 g/m $^2$   |
|-----------------------------------|--|
| MULTI-STAPLE FINISHER             | 2 trays, 3,250-sheet capacity<br>50-sheet multi-position stapling<br>A4R-A3, 60-105 g/m² (stapling mode)   |
| SADDLE-STITCH FINISHER            | 2 trays, 3,250-sheet capacity<br>50-sheet multi-position stapling<br>5-sheet center folding<br>Saddle-stitched booklets of up to 60 pages<br>A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode) |
| HOLE PUNCH UNIT                   | Available in 2 holes (E), 4 holes (F), 4 holes (S)   |

SIDE EXIT TRAY FAX BOARD WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct) HARD DISK DRIVE 320 GB<sup>1)</sup> (FIPS 140-2 STANDARD) ACCESSORY TRAY PANEL TEN-KEY OPTION DATA OVERWRITE ENABLER IPsec ENABLER EMBEDDED OCR ENABLER MULTI STATION PRINT ENABLER HARD COPY SECURITY KIT META SCAN ENABLER UNICODE FONT ENABLER ACCESSIBLE ARM



1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.
<sup>2</sup> Optional

#### e-STUDI05518a/7518a/8518a

#### **About Toshiba**

Toshiba (Australia) Pty Limited is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information. For more information please contact us:

### TOSHIBA (Australia) Pty Limited

Building C, 12-24 Talavera Road, North Ryde. 2113. Australia **Tel:** 1300 794 202

#### New Zealand

32 Lunn Avenue, Mt Wellington. Auckland. **Tel:** 09 570 8530

www.toshiba-business.com.au www.toshiba-business.co.nz

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way .

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

For more information please visit www.toshiba-business.com.au

This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m<sup>2</sup> if not otherwise mentioned. Copyright ©2020 TAP\_ES8518A\_BRO\_V4